



Cucullia convexipennis Brown Hooded Owlet Moth



FAMILY: Noctuidae SUBFAMILY: Cuculliinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS: Poole (1995)

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

FOOD: Larvae feed on goldenrod and asters (McCabe, 1991; Wagner, 2005). In North Carolina, larvae have been observed feeding on both goldenrod (<i>Solidago</i>), including Tall Goldenrod (<i>S. altissima</i>) and Gray Goldenrod (<i>S. nemoralis</i>), and asters, including Tall Flat-top Aster (<i>Doellingeria umbellata</i>) and <i>Symphyotrichum</i> species.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS:

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: