



Lacania subjuncta Speckled Cutworm Moth



FAMILY: Noctuidae SUBFAMILY: Noctuinae TRIBE: Hadenini
 TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

FOOD: Larvae are polyphagous, with reported hosts including maple (<i>Acer</i>), alder (<i>Alnus</i>), strawberry (<i>Fragaria</i>), apple (<i>Malus</i>), poplar (<i>Populus</i>), cherry (<i>Prunus</i>), willow (<i>Salix</i>), blueberry (<i>Vaccinium</i>), and Corn (<i>Zea mays</i>) (Wagner et al., 2011).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S1S2]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: