




Schinia scissoides Divided Flower Moth



High counts of:
 17 - New Hanover - 1994-09-22
 7 - New Hanover - 1994-09-27
 5 - New Hanover - 1994-09-14

Status	Rank
NC	US
NC	Global



FAMILY: Noctuidae SUBFAMILY: Heliiothinae TRIBE:

TAXONOMIC COMMENTS: One of 126 species in this genus that occur in North America (Lafontaine and Schmidt, 2010, 2011), the majority of which occur in the West; 25 have been recorded in North Carolina.

FIELD GUIDE DESCRIPTIONS:

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

FOOD: Wagner et al. (2011) list Tall Jointweed (*Polygonella gracilis*) as a host plant. This plant is extremely rare in North Carolina, and has only been found at a single site in Hoke County. It does not seem to be present on the coast where we have found *Schinia scissoides*, so other host plants must be used in North Carolina.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: GNR S2S3

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: