




Aphomia fulminalis None



High counts of:

- 2 - Caswell - 2023-08-18
- 2 - Chatham - 2024-07-27
- 1 - Warren - 2011-06-28

Status Rank
NC US NC Global



FAMILY: Pyralidae SUBFAMILY: Galleriinae TRIBE: Tirathabini
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS:

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: Forbes (1923) states that the markings are similar to those of *terrenella* but more contrasting against a paler, luteous ground color. According to Solis and Metz (2008), the base of forewing is white with a sub-basal, dark brown band. The discal spot is obscured by the dark brown postmedian line.

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Our records come mainly from backyard samples in residential neighborhoods; records from natural habitats are needed to determine the associations of this species

FOOD: Larval hosts appear to be unknown (Solis and Metz, 2008).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: GNR SU

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: