




Acrobasis juglandis Pecan Leaf Casebearer Moth



FAMILY: Pyralidae SUBFAMILY: PHYCITINAE TRIBE: PHYCITINI
 TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS:
 ONLINE PHOTOS:
 TECHNICAL DESCRIPTION, ADULTS:
 TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: North Carolina records come from cove forests in the Mountains and rich alluvial forests in the Piedmont. Coastal Plain records may come from cultivated Pecans but are located in areas close to brownwater river floodplains where Black Walnuts would be present.

FOOD: Larvae feed on members of the Juglandaceae (Heinrich, 1956; Prentice, 1966; Neunzig, 1972). The reported hosts include Pecan (<i>Carya illinoensis</i>) and other hickories, Butternut (<i>Juglans cinerea</i>), and Black Walnut (<i>J. nigra</i>).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: GNR S2S3

STATE PROTECTION:

COMMENTS: