




*Lomographa glomeraria* Gray Spring Moth



High counts of:  
 100 - Ashe - 2000-05-02  
 4 - Ashe - 2000-05-04  
 2 - Swain - 1988-04-27

Status	Rank
NC	US
NC	Global



FAMILY: Geometridae SUBFAMILY: Ennominae TRIBE: Baptini  
 TAXONOMIC\_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Wagner et al. (2001) list shrubby fields, woodlands, and forest as habitat for this species. Our records come mainly from montane hardwood forests but there are also a few from mixed habitats, including residential neighborhoods.

FOOD: Larvae feed on Cherry, Hawthorn, and possibly other species in the Rosaceae (Wagner et al., 2001)

OBSERVATION\_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 S4S5

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: