




Euchlaena irraria Least-marked Euchlaena



FAMILY: Geometridae SUBFAMILY: Ennominae TRIBE: Angeronini
 TAXONOMIC COMMENTS: One of sixteen species in this genus that occur in North America north of Mexico (Pohl et al., 2016), twelve of which have been recorded in North Carolina

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: North Carolina records come from bottomland hardwoods, dry sand ridges, cove forests, and mountain ridges.

FOOD: Larvae are polyphagous, with host plants including birch (*Betula*), dogwood (*Cornus*), maple (*Acer*), meadow-sweet (*Spiraea*), oak (*Quercus*), poplar (*Populus*), Sweet-fern (*Comptonia peregrina*), and *Viburnum* (Wagner et al., 2001). We do not have any feeding records in North Carolina.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S3S4]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: