




Cyclophora nanaria Dwarf Tawny Wave



High counts of:
 1 - Cabarrus - 2016-05-24
 1 - Ashe - 2019-08-03

● = Sighting or Collection in NC since 2006

Status		Rank	
NC	US	NC	Global



FAMILY: Geometridae SUBFAMILY: Sterrhinae TRIBE: Cosymbiini
 TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS:
 ONLINE PHOTOS:
 TECHNICAL DESCRIPTION, ADULTS:
 TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

FOOD: Larvae have been reported on several species of composites, as well as *Acacia* (Robinson et al., 2010). BugGuide records show larvae feeding on Common Ragweed (*Ambrosia artemisiifolia*), Common Sunflower (*Helianthus annuus*), and Black-eyed Susan (*Rudbeckia hirta*).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S1S2]

STATE PROTECTION:

COMMENTS: The conservation status of this species in North Carolina is unclear. More information is needed about its residency status, habitat preferences, and host plant uses.