




*Xanthorhoe iduata* No common name



FAMILY: Geometridae SUBFAMILY: Larentiinae TRIBE: Xanthorhoini  
TAXONOMIC\_COMMENTS:

FIELD GUIDE DESCRIPTIONS:

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS: Forbes (1948)

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: The ground color is whitish gray, usually without any red or brown shading (Forbes, 1948). The median area is blackish and strongly contrasting with the ground color, especially towards the costa, often forming a roundish or squarish patch. The lines are regularly scalloped, including the subterminal, which is usually white. A pair of dark spots are located in the subterminal area just beyond the cell. The outer margin is shaded with dark gray.

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Our records all come from Northern Hardwoods and Cove Forests

FOOD: Host plants are apparently unknown

OBSERVATION\_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G4 S2S3

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: