




Olceclostera angelica Angel Moth



FAMILY: Bombycidae SUBFAMILY: Apatelodinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Our records from the Coastal Plain come from bottomland forests but not swamps, indicating that Green Ash may be the most important host plant in that region. In the Piedmont, we again have records mainly from bottomlands but also from upland sites where White Ash is the prevalent species. In the Mountains, we have many records from upland sites underlain by Amphibolite, as well as from riparian habitats along the New River that drains the area of the Amphibolite Mountains. In addition, however, we have at least some records from the Great Smokies and Nantahala Mountains where the presence of mafic rock and other circumneutral substrates is less clear.

FOOD: Larvae feed on Ash and Lilac, members of the Oleaceae (Wagner, 2005). Only Ash is native in North Carolina.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 S2S4

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: