
## Tolype laricis Larch Tolype



FAMILY: Lasiocampidae SUBFAMILY: Macromphaliinae TRIBE: TAXONOMIC COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS: Franclemont (1973)

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: Males can be distinguished from those of <i>T. notialis</i> by their smaller size and black color on the wings. Females are gray and cannot be distinguished from <i>notialis</i> based on maculation alone.

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

## HABITAT:

FOOD: Reported hosts include pine (<i>Pinus</i>), spruce (<i>Picea</i>), larch (<i>Larix</i>), and fir (<i>Abies</i>) (Franclemont, 1973; Beadle & Leckie, 2012).

OBSERVATION\_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [SU]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: The identity of the dark forms of Tolype that are found in North Carolina -- including the Coastal Plain -- still need to be determined.