




*Peridea angulosa* Angulose Prominent



FAMILY: Notodontidae SUBFAMILY: Phalerinae TRIBE:  
 TAXONOMIC\_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Barrens, woodlands, and forests (Wagner, 2005). WE have records from essentially the entire spectrum of oak-hickory forests in the state, including maritime forests, bottomland forest, mesic slopes, dry-xeric sand ridges, cove forests, and high elevation hardwood forests.

FOOD: Larvae feed on oaks, and questionably on hickory (Wagner, 2005). In North Carolina, larvae have been recorded feeding on White Oak (<i>Quercus alba</i>), Pin Oak (<i>Q. palustris</i>), Willow Oak (<i>Q. phellos</i>), and Northern Red Oak (<i>Q. rubra</i>).

OBSERVATION\_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S4S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: