




Lochmaeus bilineata Double-lined Prominent



FAMILY: Notodontidae SUBFAMILY: Heterocampinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Woodlands and forests (Wagner, 2005). Our records come predominantly from bottomland and mesic hardwood forests, and from areas with both rich, circumneutral soils and acidic blackwater alluvial forests.

FOOD: Larvae are polyphagous, feeding on a range of hardwood trees but with an apparent preference for elm and basswood (Wagner, 2005). In North Carolina, larvae have been recorded on American Elm (*Ulmus americana*) and Winged Elm (*U. alata*).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: