



Oedemasia leptinoides Black-blotched Prominent



n=9
High Mt.


n=74
Low Mt.

n=65
Pd



High counts of:

10 - Dare - 1993-05-24
6 - Swain - 2004-06-14
6 - Swain - 2004-06-15



FAMILY: Notodontidae SUBFAMILY: Heterocampinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Barrens, woodlands, and forests (Wagner, 2005).

FOOD: Larvae are polyphagous, feeding on many hardwood trees and shrubs but with hickory and walnut preferred (Wagner, 2005). In North Carolina, larvae have been recorded feeding on Black Walnut (*Juglans nigra*), Pecan (*Carya illinoensis*), and other hickories.

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S4S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: