




Tetanolita floridana Florida Tetanolita Moth




n=3
High Mt.



n=24
Low Mt.



n=116
Pd




High counts of:

- 60 - Washington - 1993-10-16
- 34 - Northampton - 2012-06-18
- 31 - Northampton - 2012-06-18

| Status | Rank |
|--------|--------|
| NC | US |
| NC | Global |

● = Sighting or Collection in NC since 2004
● = Not seen since 2004



n=194
CP

FAMILY: Erebidae SUBFAMILY: Herminiinae TRIBE:
TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: This species has nearly the same range of habitats as *Tetanolita mynesalis*, from maritime dunes and other barrier island habitats to high elevation forests.

FOOD: Reared on dead oak leaves but natural hosts have not been determined in the field (Wagner et al., 2011).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: GNR S5

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: