



Metalectra tantillus Black Fungus Moth



n=0
High Mt.

n=1
Low Mt.

n=3
Pd




High counts of:

- 4 - Brunswick - 1994-04-25
- 3 - Cumberland - 2002-05-16
- 3 - Hoke - 2001-05-29

● = Sighting or Collection in NC since 2005
● = Not seen since 2005

Status Rank
NC US NC Global



FAMILY: Erebiidae SUBFAMILY: Boletobiinae TRIBE:

TAXONOMIC_COMMENTS: One of eleven species in this genus that occur in North America (Lafontaine and Schmidt, 2010), six of which have been recorded in North Carolina.

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES: Wagner et al. (2011)

ID COMMENTS:

DISTRIBUTION: Rare outside the Coastal Plain in North Carolina.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: We have records from a wide range of forests, including maritime forests, bottomland forests, and dry ridges.

FOOD: Larvae probably feed on both algae and lichens (Wagner et al., 2011).

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G4 SNR [S3S4]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: