



Metalectra diabolica Diabolical Fungus Moth



Status	Rank		
NC	US	NC	Global

FAMILY: Erebidae SUBFAMILY: Boletobiinae TRIBE:
TAXONOMIC COMMENTS: One of eleven species in this genus that occur in North America (Lafontaine and Schmidt, 2010), six of which have been recorded in North Carolina.

FIELD GUIDE DESCRIPTIONS:

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS: Barnes and Benjamin (1924); Forbes (1954)

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: Intermediate in size between *Metalectra tantillus* and *M. albilinea*. According to Forbes (1954), *diabolica* is generally fuscous and marked with extensive areas of light luteous, whereas *tantillus* is a dull black, marked with cream-colored spots but without any extensive paler areas. Both of these species have relatively strong black reniform spots on the forewings and a black discal spot on the hindwing, but *diabolica* has a pair of dark median lines on the forewing (Barnes and Benjamin; Forbes), the outermost of which runs through the reniform; *diabolica* also often has a dark line on the hindwing that also runs through the dark discal spot. These lines are apparently not well-defined in *tantillus*.

DISTRIBUTION: Found in the Coastal Plain and Mountains, but without any clear evidence of resident populations.

FLIGHT COMMENT: Our records come from May and July.

HABITAT: We have two records from riparian habitats and one from a wet pine savanna located close to a blackwater swamp forest.

FOOD: Larvae probably feed on fungi, like other members of this genus.

OBSERVATION METHODS: We have too little information to determine how well this species comes to lights. Other members of this genus have been observed at bait.

NATURAL HERITAGE PROGRAM RANKS: G4 SNR [S2S3]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: We currently have very few records for this species but we do not have enough evidence to know if it has any breeding populations established in the state. There is also no evidence that it is a habitat specialist, but there is simply too little information to estimate its conservation status in North Carolina.