




# *Lesmone detrahens* Detracted Owlet Moth



High counts of:  
 8 - Carteret - 2013-08-31  
 7 - Columbus - 2025-04-25  
 6 - Cumberland - 2002-05-16

Status	Rank		
NC	US	NC	Global

n=110  
CP



FAMILY: Erebidae SUBFAMILY: Erebinae TRIBE: Ophiusini  
 TAXONOMIC COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Our records come from a wide range of open, herbaceous habitats, both natural and disturbed.

FOOD: Larvae reportedly feed on partridge-pea (*Chamaecrista* spp.) (Wagner et al., 2011).

OBSERVATION METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S4S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: