



# *Allotria elonympha* False Underwing



*n*=41  
High Mt.

*n*=188  
Low Mt.

*n*=104  
Pd




High counts of:

70 - Stokes - 1996-06-18  
50 - Stokes - 1998-08-18  
50 - Stokes - 1998-08-18

● = Sighting or Collection in NC since 2005  
● = Not seen since 2005

Status Rank  
NC US NC Global



FAMILY: Erebidae SUBFAMILY: Erebinae TRIBE: Poaphilini  
TAXONOMIC\_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Found across the range of *Nyssa* species, including swamp forests and blackwater riparian forests in the Coastal Plain and dry ridges in the Piedmont and Mountains.

FOOD: Larvae feed on tupelo (*Nyssa*) species (Wagner et al., 2011). Covell (1984) also lists hickory (*Carya*) and walnut (*Juglans*). David George has documented a larva believed to be this species feeding on Blackgum (*Nyssa sylvatica*) in Durham County.

OBSERVATION\_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: