

Meganola phylla Coastal Plain Meganola

5 Oct Three periods to each month: 1-10 / 11-20 / 21-31 FAMILY: Nolidae SUBFAMILY: Nolinae TRIBE:

5 | 25 | 15 | 5 | 25 | 15 | 5 | 2 5 15 5 25 15 5 25 15 May Jun Jul Aug Sep

5 25 15

May Jun Jul

Apr

5

25

5

25

Aug Sep

5 25 15 5 15 5 2

25 15 5 25 15

15

Nov Dec

25 15

Nov Dec

5 25 Oct

25 15 5

25 15

TAXONOMIC COMMENTS: One of eight described species in this genus that occur in North America, three of which are found in North Carolina.

n=144

Pd

20

10

25 15

Jan

5 25 Feb

5 25 15

Mar

25

Apr

Mav Jun Jul

5 25 15 5 25 15

25

5 25 15 5

Sep Oct Nov

25

Aug

FIELD GUIDE DESCRIPTIONS: **ONLINE PHOTOS:** TECHNICAL DESCRIPTION. ADULTS: TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: All three of our Meganola species are relatively small gray moths with similar markings. Compared to both Meganola minusculua and spodia, M. phylla has a more sharply defined, darker black spot at the center of the costa and darker black shading at the base of the costa, but comparatively weaker lines, with the postmedian often single rather than double opposite the cell (Dvar, 1898; Forbes, 1948). Meganola phylla also typically has a well-defined dark blotch near the posterior margin of the thorax. Nola triquetrana is similar in size and color, also possessing strong dark spots along the costa, but has an additional third spot at the costal end of the antemedian line that is missing in M. phylla. It also lacks the dark thoracic blotch that is present on M. phylla.

DISTRIBUTION: Despite its common name, this species is not confined to the Coastal Plain. Instead, it has a state-wide range, occurring in the high mountains to the barrier islands.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT:

N u m b е

r

o f

F

g h

t

D

а

e

20 s 10 25 15 5 25 15

5

25

Feb Mar Apr

25 15

25

25 15

25 15 5 25

Jan Feb Mar

Jan

FOOD: Larvae feed on beech (<i>Fagus</i>) and oaks, including White Oak (<i>Quercus alba</i>), Blackjack Oak (<i>Q. marilandica $\langle i \rangle$), and Dwarf Chinquapin Oak ($\langle i \rangle Q$), princides $\langle i \rangle$) (Wagner et al., 2011). We do not have any feeding records in North Carolina.

OBSERVATION METHODS:

NATURAL HERITAGE PROGRAM RANKS: GNR SNR [S5]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS:

n=95

CP