




Hyperstrotia flaviguttata Yellow-spotted Graylet Moth



High counts of:
 42 - Bladen - 2004-06-21
 17 - Bladen - 2008-06-27
 13 - Montgomery - 2010-06-10

Status	Rank
NC	US
NC	Global



FAMILY: Erebidae SUBFAMILY: Phytometrinae TRIBE:
 TAXONOMIC_COMMENTS:

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Associated with barrens in the north but becomes more widespread further south (Wagner et al., 2011). Our records come mainly from dry sandridge habitats in the Coastal Plain. We also have one record from a mafic glade in the Piedmont and a couple from dry ridges in the Mountains.

FOOD: Larvae feed on oaks (Wagner et al., 2011)

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G4 S4

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: