
Papaipema duovata Seaside Goldenrod Borer Moth



FAMILY: Noctuidae SUBFAMILY: Noctuinae TRIBE: Apameini TAXONOMIC_COMMENTS: One of 44 species in this genus that occur in North America north of Mexico (Lafontaine and Schmidt, 2010, 2015), 30 of which have been recorded in North Carolina

FIELD GUIDE DESCRIPTIONS: ONLINE PHOTOS: TECHNICAL DESCRIPTION, ADULTS: TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS:

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: All but one of our records come from barrier islands. One record from the Great Smoky Mountains probably represents a misidentification.

FOOD: Larvae have been reported feeding on Seaside Goldenrod (<i>Solidago sempervirens</i>), Giant Goldenrod (<i>Solidago gigantea</i>), and possibly other goldenrods (Wagner, et al., 2011)

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G4 SNR [S2S3]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: