



Lithophane petulca Wanton Pinion



FAMILY: Noctuidae SUBFAMILY: Noctuinae TRIBE: Xylenini

TAXONOMIC_COMMENTS: One of 51 species in this genus that occur in North America (Lafontaine and Schmidt, 2010, 2015), 25 of which have been recorded in North Carolina

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS:

TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: In the typical form, this species is fairly uniformly colored, with the ground color an even violet gray-brown with strong rufous and bright luteous shadings (Forbes, 1954). Both the reniform and orbicular are outlined by pale rings. The hindwings have a fringe that is shaded with rufous. In form ferrealis, the ground color is blackish and the costa is a contrasting whitish or luteous gray. Lithophane hemina is similar but has a deep brown ground color and more diffuse lines and reniform spot.

DISTRIBUTION: Please refer to the dot map.

FLIGHT COMMENT: Please refer to the flight charts.

HABITAT: Our records come from mesic forests in the Mountains.

FOOD: Larvae feed on a number of hardwood trees and shrubs, including a number of species associated with riparian habitats, including Alder, Birch, Elm, Poplar, and Willow. Other hosts include Oak, Hickory, Cherry, and Blueberry (Wagner et al., 2011)

OBSERVATION_METHODS:

NATURAL HERITAGE PROGRAM RANKS: G5 S3S4

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: