




*Pyreferra moffatiana* No common name



High counts of:  
 2 - Ashe - 2014-04-03  
 1 - Graham - 2023-10-12  
 1 - Madison - 2018-10-14

● = Sighting or Collection in NC since 2004

Status	Rank		
NC	US	NC	Global



FAMILY: Noctuidae SUBFAMILY: Noctuinae TRIBE: Xylenini  
 TAXONOMIC\_COMMENTS:

FIELD GUIDE DESCRIPTIONS:  
 ONLINE PHOTOS:  
 TECHNICAL DESCRIPTION, ADULTS:  
 TECHNICAL DESCRIPTION, IMMATURE STAGES:

ID COMMENTS: This species is smaller (90% of the time) than hesperidago or citromba when comparing males to males, females to females (J.B. Sullivan, pers. obs.) The median line has an even course across the wing rather than an undulating one, as is the case for *hesperidago*. This line arches outward at the costa in this species but arches inward in *citromba*, which also has an even median line.

DISTRIBUTION: Please refer to the dot map.  
 FLIGHT COMMENT: Please refer to the flight charts.  
 HABITAT:  
 FOOD:  
 OBSERVATION\_METHODS:  
 NATURAL HERITAGE PROGRAM RANKS:  
 STATE PROTECTION:  
 COMMENTS: