
Epiglaea decliva Sloping Sallow



FAMILY: Noctuidae SUBFAMILY: Noctuinae TRIBE: Xylenini

TAXONOMIC_COMMENTS: This genus contains two species found principally in the Eastern United States and in North Carolina. The two species are not closely related and E. decliva will eventually be moved to another genus.

FIELD GUIDE DESCRIPTIONS: Covell (1984); Beadle and Leckie (2012)

ONLINE PHOTOS:

TECHNICAL DESCRIPTION, ADULTS: Forbes (1954)

TECHNICAL DESCRIPTION, IMMATURE STAGES: Wagner et al. (2011)

ID COMMENTS: A medium-large brown Nocutid, similar in size, color, and pattern to Metaxaglaea species but usually larger and more uniformly leathery-looking. Distinguished by a higher, triangular, knife-edged crest on the thorax (Forbes, 1952); in Metaxaglaea, the thoracic crest is relatively flat or inconspicuous. The orbicular and reniform both have a yellow border in decliva but lack the outer red line found in Metaxaglaea. The postmedian is more strongly incurved at the costa in decliva and the subterminal is usually not darker than the rest of the wing. In decliva, the postmedian is double, with the outer part consisting of a chain of dots or wedges; in E. apiata, the postmedian is single, dark, and continuous.

DISTRIBUTION: Appears to be restricted to the Piedmont and the Low Mountains, but we have one record from Weymouth Woods State Natural Area, located in Fall-line Sandhills.

FLIGHT COMMENT: Univoltine, with our records coming from October and November.

HABITAT: Our records come primarily from dry-mesic upland stands of hardwoods.

FOOD: Reportedly a general feeder on shrubs and small trees. Wagner et al. (2011) specifically list maple (<i>Acer</i>), buckeye (<i>Aesculus</i>), apple (<i>Malus</i>), cherry (<i>Prunus</i>), oak (<i>Quercus</i>), and <i>Viburnum</i>. We do not have any host records from North Carolina.

OBSERVATION_METHODS: Adults come to light and should respond to bait but we cannot find any data to support that. Because our <i>Epiglaea</i> are on the wing earlier than most observers begin baiting, the response is largely unknown.

NATURAL HERITAGE PROGRAM RANKS: G5 SNR [S2S4]

STATE PROTECTION: Has no legal protection, although permits are required to collect it on state parks and other public lands.

COMMENTS: Uncommon but widely distributed within various types of hardwood forests; probably secure within the state.